



**List price: 684.25 €**

incl. 19% VAT.

### Features:

#### EUROLITE LED Silent Par 6 QCL Floor wh

LED floor spot with RGB/WW color mixing

- 14350 lux at 1 m
- 6 powerful LEDs 8 W 4in1 QCL RGB/WW (homogenous color mix)
- Color blend stepless; color change adjustable; color fade adjustable; Dimmer electronic; Dimmer speed (step response) adjustable
- Strobe effect
- Direct color selection for 25 preset colors
- The device is cooled by passive convection cooling
- Control via stand-alone; DMX; QuickDMX via USB (optional); master/slave function; sound to light via microphone
- Flicker-free
- With a beam angle of 16°
- With mounting bracket; with double bracket
- 4 digit 7-segment LED display
- Preprogrammed in Light´J; Light Captain
- For application areas such as: Clubs/dancing school; wedding/gala/events; Trade fair and shop fitting; stage; theater; restaurants, bars and hotels; mobile djs / entertainer
- Silent operation
- Application possibility: Standing; suspended; on stand

#### Package contents

- 1 x spotlight, 1 x power cord, 1 x user manual, 1 x XLR cable

### Logistic

EAN / GTIN: 4026397716481

Weight: 10,05 kg

Length: 0.00 m

Width: 0.00 m

Height: 0.00 m

#### EUROLITE SB-4 Soft Bag L

Black soft bag for up to 4 devices, 320 x 320 x 200 mm

- Practical transport bag offers enough space for several lighting effects and accessories
  - With dividers
  - With 2 Outside pockets
  - With 4 device compartments
  - High-quality workmanship with nylon , black, water repellent
  - Interior with foam padding<BR>cover with foam padding
  - 2 carrying straps
- Package contents**
- 1 x bag

## Technical specifications:

---

Weight: 9,12 kg

---

### EUROLITE LED Silent Par 6 QCL Floor wh

Power supply:	100-240 V AC, 50/60 Hz
Power consumption:	45 W
IP classification:	IP20
Protection class:	Protection class I
Power connection:	Mains input via P-Con (blue), mounting version power supply cord with safety plug
Power output:	P-Con (gray), mounting version
LED type:	6 x 8 W 4in1 QCL RGB/WW (homogenous color mix)
Flash rate:	0 - 20 Hz
DMX channels:	6; 11
DMX input:	3-pin XLR (M) mounting version
DMX output:	3-pin XLR (F) mounting version
Cooling:	Passive convection cooling
Control:	Stand-alone; DMX; QuickDMX via USB (optional); master/slave function; sound to light via microphone
Preprogrammed in:	Light J; Light Captain
Projection:	Flicker-free
Beam angle:	16°
Beam angle (1/2 peak):	16°
Beam angle (1/10 peak):	29°
Housing color:	White
Attachment system:	Mounting bracket Double bracket Double bracket
Display type:	4 digit 7-segment LED display
Dimensions:	Length: 14,5 cm Width: 18,0 cm Height: 20,5 cm
Weight:	2,15 kg
Noise classification:	Class 0 (no noise at all)

Legal specifications

---

Special product: Not designed for household room illumination

---

Intended use: Show effect lighting

---

**EUROLITE SB-4 Soft Bag L**

Maximum load: 25 kg

---

Carrying strap: 2 pc/pcs

---

Material: Nylon

---

Color: Black, water repellent

---

Compartment dimensions: 15 cm x 15 cm x 20 cm

---

Inside dimensions: 31 cm x 34 cm x 20 cm

---

Dimensions: Width: 32 cm  
Depth: 41 cm  
Height: 20 cm

---

Weight: 0,52 kg

---